



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/673,699	09/29/2003	Xiaodong Lin	42P17577	4171

8791 7590 04/13/2007
BLAKELY SOKOLOFF TAYLOR & ZAFMAN
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CA 90025-1030

EXAMINER

LAI, VINCENT

ART UNIT PAPER NUMBER

2181

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	04/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No. 10/673,699	Applicant(s) LIN ET AL.	
	Examiner Vincent Lai	Art Unit 2181	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendments

1. Objections to the drawings are withdrawn after considering amendments to the drawing and specification.
2. Objection to the claims are withdrawn after considering amendments to the claims.

Response to Arguments

3. Applicant's arguments filed 8 February 2007 have been fully considered but they are not persuasive.

Applicant argues, "McGrath does not teach or suggest a target architecture that supports **only** a non-segmented memory addressing model" (Emphasis added).

Examiner disagrees and further cites Applicant, which states, "McGrath describes embodiments which do not provide architectural support for implementing a segmented address space, such as the embodiment shown in FIGS 12-13." Given these contradictory statements, it is the opinion of the Examiner that McGrath does teach at least one embodiment in which there is only support for a non-segmented memory addressing memory.

It is also noted that a limitation of "only" would not render the invention being novel. McGrath explicitly teaches a non-segmented operation mode. Under this mode, segmented portions would not be supported.

Applicant also argues, "memory mapping illustrated with reference to FIGS. 12 and 13 fail to teach or suggest the assignment of a target architecture predicate register to identify a target register containing a base address of a segment associated with a logical address of a translated instruction."

It is noted that Examiner had not presented such arguments, as such limitations are newly amended limitation that the Examiner had not previously addressed. Such arguments are the opinion of the Applicant. The Examiner is unconvinced of the arguments and addresses the newly amended limitations below.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-30 are rejected under 35 U.S.C. 102(e) as being anticipated by McGrath et al (U.S. Patent # 6,807,616 B1), herein referred to as McGrath.

As per **claim 1**, McGrath discloses a method comprising:

translating instructions from a source instruction set architecture (ISA) having a segmented memory addressing model (See column 19, lines 19-22: The segmented memory instructions would be the non-native instructions) into a target ISA of a target architecture having only a non-segmented memory addressing model (See column 10, lines 64-67: Case here is the embodiment is the processor with the unsegmented address space);

assigning, during the translation of the instruction, at least one target architecture predicate register to identify a target architecture register containing a base address of a segment associated with a logical address of a translated instruction (See column 22, lines 53-55: The use of physical temporary registers is an option);

executing the translated instructions (See column 19, lines 63-67) and
simulating, during execution of the translated instruction, a segmented addressing model within the target architecture for the translated instructions to enable conversion of the logical addresses of the translated instruction to effective addresses of the target architecture (See column 19, lines 63-64).

As per **claim 2**, McGrath discloses wherein translating instructions comprises:

detecting a segment table update (See column 4, lines 24-28); and

updating a segment table maintained by the target ISA according to the detected segment table update (See column 4, lines 24-28: Table is responsive to information stored).

As per **claim 3**, McGrath discloses wherein detecting the segment table update comprises:

identifying a segment descriptor associated with the segment table update (See column 4, lines 24-28);

determining a segment base address according to the identified segment descriptor (See column 6, lines 23-27); and

storing the segment base address within a target ISA register assigned to a segment described by the identified segment descriptor (See column 6, lines 23-27).

As per **claim 4**, McGrath discloses wherein updating the segment table comprises:

identifying a segment descriptor associated with the segment table update (See column 4, lines 24-28);

inserting the identified segment descriptor within the segment table maintained by the target ISA (See column 4, lines 46-47); and

updating the segment table maintained by the target ISA to identify a target ISA register assigned to a segment described by the identified segment descriptor (See column 4, lines 24-28).

As per **claim 5**, McGrath discloses wherein prior to translating the instructions, the method comprises:

allocating a target ISA segment table to enable a segmented memory addressing model within the target ISA (See column 12, lines 9-13);

designating one or more target ISA registers as segment base registers to contain segment base addresses of segments utilized by a source application (See column 12, lines 9-13); and

allocating a target ISA predicate register for each of the one or more allocated target registers (See column 12, lines 21-23).

As per **claim 6**, McGrath discloses wherein translating comprises:

detecting a segment register update instruction (See column 5, lines 49-51: Storing information indicates that a detection must be made of an instruction to store); and

updating a source ISA state according to the segment register update instruction (See column 5, lines 49-51: Storing information on code being used is an update).

As per **claim 7**, McGrath discloses herein updating the source ISA state comprises:

querying the target ISA segment table according to a segment selector of the detected segment register update instruction (See column 12, lines 9-13);

Art Unit: 2181

identifying a target register assigned to a segment described by the segment descriptor within the target segment table (See column 12, lines 9-13); and

setting a target ISA predicate register assigned to the identified target register to identify the target register containing a base address of the segment (See column 12, lines 9-13).

As per **claim 8**, McGrath discloses wherein translating comprises:

identifying each segment descriptor within the target segment table (See column 4, lines 24-28);

assigning a target register to each segment described by an identified segment descriptor (See column 6, lines 23-27);

loading a base address of each segment descriptor within the target register assigned to the segment (See column 13, lines 53-59); and

setting a target ISA predicate register assigned to each identified target register to identify the target register containing a base address of each segment used by a source application thread (See column 12, lines 9-13).

As per **claim 9**, McGrath discloses wherein simulating the segmented addressing model comprises:

identifying a logical address expression in a translated instruction (See column 11, lines 29-32 and column 19, lines 19-22: Canonical checks are done with translations); and

calculating a linear address for the identified logical address according to a target register containing a base address of a segment identified by the logical address (See column 11, lines 29-32 and column 19, lines 19-22: Canonical checks are done with translations and changes are made when appropriate).

As per **claim 10**, McGrath discloses wherein calculating the linear address comprises:

- determining a segment selector portion of the identified logical address (See column 12, lines 9-13);

- identifying a source ISA segment register reference by the segment selector (See column 12, lines 9-13);

- querying allocated target predicate registers to identify a target predicate register assigned to the identified source ISA segment register (See column 12, lines 9-13);

- detecting a target register containing a base address of the segment identified by the segment selector according to the identified target predicate register (See column 12, lines 9-13); and

- adding the base address of the segment to an offset portion of the logical address to compute the linear address within the target ISA memory model (See column 11, lines 29-32 and column 19, lines 19-22: Part of calculations done).

As per **claim 11-20**, McGrath discloses the limitations of the claims for similar reasoning to claims 1-10. Claims 1-10 are directed to a method, whereas claims 11-20 are directed to an article of manufacture, which is disclosed in figure 1.

As per **claim 21**, McGrath discloses an apparatus, comprising:

a processor (See figure 1); and

a memory coupled to the processor (See figure 12), the memory including a translator to translate instructions from a source instruction set architecture (ISA) having a segmented memory addressing model (See column 19, lines 19-22: The segmented memory instructions would be the non-native instructions) into a target ISA of the apparatus having only a non-segmented memory addressing model (Case here is the embodiment is the processor with the unsegmented address space), the translator to assign, during the translation of the instruction, a target architecture predicate register to identify a target architecture register containing a base address of a segment associated with a logical address of a translated instruction (See column 22, lines 53-55: The use of physical temporary registers is an option), the processor to execute the translated instructions (See column 19, lines 63-67) and to simulate, during execution of the translated instruction, a segmented addressing model within the target ISA for the translated instructions (See column 19, lines 63-64).

As per **claim 22**, McGrath discloses wherein the translator is to identify a segment descriptor associated with a detected segment table update (See column 4,

lines 24-28), to determine a segment base address according to the identified segment descriptor (See column 6, lines 23-27), and to store the segment base address within a target ISA register assigned to a segment described by the identified segment descriptor (See column 6, lines 23-27).

As per **claim 23**, McGrath discloses wherein the translator is to identify a segment descriptor associated with a detected segment table update (See column 4, lines 24-28), to insert the identified segment descriptor within a segment table maintained by the target ISA (See column 4, lines 46-47), and to update the segment table to identify a target ISA register assigned to a segment described by the identified segment descriptor (See column 4, lines 24-28).

As per **claim 24**, McGrath discloses wherein the translator is to query a segment table maintained by the target ISA according to a segment selector of a detected segment register update (See column 12, lines 9-13), to identify a target register assigned to a segment described by the segment descriptor within the segment table (See column 12, lines 9-13), and to set a target ISA predicate register assigned to the identified target register to identify the target register containing a base address of the segment (See column 12, lines 9-13).

As per **claim 25**, McGrath discloses wherein the translator is to identify each segment descriptor within a segment table maintained by the target ISA (See column 4,

Art Unit: 2181

lines 24-28), to assign a target register to each segment described by an identified segment descriptor (See column 6, lines 23-27), to load a base address of each segment descriptor within the target register assigned to the segment (See column 13, lines 53-59), and to set a target ISA predicate register assigned to the identified target register to identify the target register containing a base address of the segment (See column 12, lines 9-13).

As per **claim 26**, McGrath discloses a system comprising:

a chipset (See figure 16);

a double data rate (DDR) synchronous dynamic random access memory (SDRAM) (DDR-SDRAM) memory coupled to the chipset (See column 27, lines 57-60: A SDRAM is explicitly disclosed and a DDR-SDRAM would fall under the any suitable memory device disclosure), the memory including a translator to translate instructions from a source instruction set architecture (ISA) having a segmented memory addressing model (See column 19, lines 19-22: The segmented memory instructions would be the non-native instructions) into a target ISA of the system having only a non-segmented memory addressing model (Case here is the embodiment is the processor with the unsegmented address space), the translator to assign, during the translation of the instruction, a target architecture predicate register to identify a target architecture register containing a base address of a segment associated with a logical address of a translated instruction (See column 22, lines 53-55: The use of physical temporary registers is an option), the processor to execute the translated instructions (See column

19, lines 63-67) and to simulate, during execution of the translated instruction, a segmented addressing model within the target ISA for the translated instructions (See column 19, lines 63-64).

As per **claim 27**, McGrath discloses wherein the chipset further comprises: a memory controller coupled to the memory (See figure 17: Memory controllers 316).

As per **claim 28**, McGrath discloses wherein the chipset further comprises: an input/output (I/O) controller coupled to the memory controller (See figure 17).

As per **claim 29**, McGrath discloses wherein the chipset further comprises: a graphics controller coupled to the memory controller (See figure 16: Graphics Controller 208)

As per **claim 30**, McGrath discloses further comprising: a processor coupled to the chipset via a front side bus (See figure 16).

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vincent Lai whose telephone number is (571) 272-6749. The examiner can normally be reached on M-F 8:00-5:30 (First BiWeek Friday Off).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Sparks can be reached on (571) 272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2181

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

vi
April 6, 2007

Vincent Lai
Examiner
Art Unit 2181



DONALD SPARKS
SUPERVISORY PATENT EXAMINER